

UNCLASSIFIED

AD NUMBER
AD241230
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; Jul 1960. Other requests shall be referred to Office of Naval Research, Arlington, VA 22217.
AUTHORITY
Office of Naval Research ltr dtd 28 Jul 1977

THIS PAGE IS UNCLASSIFIED

UNCLASSIFIED

AD 241 230

*Reproduced
by the*

ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA



UNCLASSIFIED

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

AD No 241 230
ASTIA FILE COPY

REPORT NO. 55

10

FURTHER ASPECTS OF THE STABILITY RELATIONSHIPS OF CONCENTRATED SOLUTIONS OF HYDROGEN PEROXIDE

Prepared for the
Office of Naval Research
Contract Nonr 1841 (11)
NR-092-008

BY
W. C. Schumb

APR 10 1960
JEDR

Reproduction in Whole or in Part is Permitted for any Purpose
by the United States Government

MASSACHUSETTS INSTITUTE OF TECHNOLOGY
Department of Chemical Engineering Cambridge, Mass.

Division of Sponsored Research, Project 7476
July 15, 1960

REPORT NO. 55

**FURTHER ASPECTS OF THE
STABILITY RELATIONSHIPS OF
CONCENTRATED SOLUTIONS OF
HYDROGEN PEROXIDE**

Prepared for the
Office of Naval Research
Contract Nonr 1841 (11)
NR-092-008

BY
W. C. Schumb

Reproduction in Whole or in Part is Permitted for any Purpose
by the United States Government

MASSACHUSETTS INSTITUTE OF TECHNOLOGY
Department of Chemical Engineering Cambridge, Mass.

Division of Sponsored Research, Project 7476
July 15, 1960

The following account is intended to serve as a summary of some further aspects of studies conducted on the stability relationships of hydrogen peroxide solutions over the period subsequent to October 1957, when an account of stabilization procedures current at that time was presented.*

The interpretation of some of the procedures applied in the stabilization of hydrogen peroxide solutions had been left in an inconclusive state in the earlier account; and for some of these aspects more definitive situations have since been attained.

Among these items may be mentioned the very fundamental question of the relationship of the decomposition rate of hydrogen peroxide solutions to the concentration of the solution, especially in the lower ranges of concentration. Some early experimental evidence had indicated that below about 40 wt. percent H_2O_2 an increasingly sharp rise in the decomposition rate occurred with progressive dilution; other data indicated a nearly constant rate over the entire range of concentration. Furthermore, the effect of added stabilizers upon the rate of decomposition of hydrogen peroxide solutions of varying concentrations was not completely clear.

* Schumb, W. C., See Report No. 50, prepared for ONR under contract No. 1841 (11); NR-092-008, Feb. 1957. Also see Ind. Eng. Chem., 49, 1759 (1957).

In a careful series of measurements carried out in 1959, the rates of decomposition of hydrogen peroxide solutions were re-determined, starting with an original 90% unstabilized solution. Special attention was given to the range of concentration below 30 wt. percent H_2O_2 . The results are shown in the accompanying graph over the range 50-3 wt. percent H_2O_2 . These data indicate conclusively that a definite increase in decomposition rate occurs at low concentrations. The rate found for the original 90% solution was about 0.0015 wt. per cent per hr. at 50°C. The lower concentrations were obtained by dilution with specially prepared water, which was distilled directly into the flask containing the hydrogen peroxide solution. The specific conductivity of the water, measured at 25°C, was $8.5 \times 10^{-7} \text{ ohm}^{-1}$.

The decomposition rate of the hydrogen peroxide solutions was found on dilution in this way to remain reasonably constant down to about 10-12 wt. percent H_2O_2 ; below this point a marked increase was observed, so that at the lowest concentration measured (about 3 wt. percent H_2O_2) the rate had tripled. It is believed that this behavior represents an intrinsic lessening in the stability of these most dilute solutions and is not caused by an accumulation of catalytic impurities introduced in the dilution process.

In an attempt to convert concentrated hydrogen peroxide solutions to more dilute ones without the necessity of adding dilution water, and thus opening the way to possible contamination, the catalytic decomposition on the surface of platinum was resorted to. In one experiment the peroxide solution was smoothly decomposed, so that the concentration fell in 12 days from about 95% H_2O_2 down to about 15%; however, the resulting dilute solution showed a disappointingly large rate of decomposition. It must be assumed that minute particles of platinum -- probably of colloidal dimensions -- are formed, and that their catalytic effect persists even after the platinum foil is withdrawn. This mode of dilution of the concentrated hydrogen peroxide solutions therefore had to be abandoned.

Temperature Coefficient of Decomposition Rate

A common industrial laboratory practice used in estimating the relative stabilities of hydrogen peroxide solutions has been to employ an accelerated decomposition rate test at 100°C over a 24-hour or 48-hour interval. While such a procedure may be considered adequate for rough comparison purposes, it should be pointed out that the uncertainty which still exists in the temperature coefficient of the rate of decomposition of hydrogen peroxide solutions over the interval 50 - 100°C is such that conversion of the 50°C wt. percent H_2O_2 decomposed per hour

to the 100°C/24 hr. basis may be expected to give only approximate agreement with the observed results at 100°C. Conversion factors variously estimated to lie between 800 and 1200 have been reported.

In a study of the relative effectiveness of inorganic stabilizers such as stannate and sodium pyrophosphate over an extended range of peroxide concentration (20 to 90% H_2O_2), carried out with the purpose of discovering whether some stabilizers are more proficient than others over specific ranges of concentration, determinations were made of the rate of decomposition at 50°C of a commercially available 90% stabilized solution of hydrogen peroxide, employed as received and known to contain not over 0.5 mg/l. of tin as stannate. The lower concentrations were obtained by dilution of the 90% material with water of high purity. The pH values (taken at tenfold dilution) in all the samples fell between 5.5 and 6.5; no attempt was made to bring them to closer constancy. For comparative purposes the amounts of sodium stannate tri-hydrate and of sodium pyrophosphate decahydrate added to the hydrogen peroxide solutions corresponded to 30 p.p.m. of elementary tin and 30 p.p.m. of $\text{P}_2\text{O}_7^{4-}$ ion.

The results of these measurements are shown graphically in the accompanying figure (Fig. 2). It will be

seen that the two stabilizers used were adequate to hold the decomposition rate of the peroxide solution at a satisfactorily low value over the entire concentration range studied, with possibly a slight preference for the stannate in the lowest concentrations. The sample of unstabilized hydrogen peroxide, used as received without further purification, showed an increasing decomposition rate on dilution reaching tenfold that of the stabilized samples.

Although these results do not lead us to conclude that stabilizers may be more proficient over some specific ranges of peroxide concentrations than others; and although stannate and pyrophosphate appear to be nearly alike in their protective action in the present case, the sum total of evidence derived from stability studies under various conditions would indicate that stannate is more generally applicable and effective in its protective action than any other single additive.

Considerable attention has been given by various investigators to the question of the compatibility of materials of construction employed in fabricating long-term storage containers for concentrated hydrogen peroxide, such as tanks, drums, etc. Conventionally, aluminum of purity at least 99.6% has been found acceptable for this purpose, although lacking a desirable degree of mechanical strength.

In order to improve the compatibility of the metal with hydrogen peroxide solutions, various conditioning agents have been utilized upon the inner surfaces of the containers, such as concentrated nitric acid or phosphoric acid.

In connection with this subject several series of room temperature tests were carried out over a nine-months' period in order to observe the extent to which corrosion of steel and of aluminum may take place in various concentrations of hydrogen peroxide. In these tests conditioned steel rod and sheet aluminum samples were completely immersed in solutions of hydrogen peroxide of known concentration and allowed to stand at room temperature.

From the results of these tests it may be concluded that the addition of hydrogen peroxide in low concentrations -- from 0.1% to 10% -- inhibits the corrosion and rusting of steel for periods of time which are dependent upon the peroxide concentration. At still higher peroxide concentrations (e.g., 20% H_2O_2) the marked catalytic decomposition of the hydrogen peroxide in the presence of the steel would place a limit upon the inhibiting effect of the peroxide upon the corrosion of the metal.

In the case of the aluminum sheet, corrosion of the metal was apparent in a single day when the lowest

concentration of hydrogen peroxide -- 0.1% H_2O_2 -- was used; but as the percentage of hydrogen peroxide rose, the corrosion lessened, until at 10% H_2O_2 it stopped completely.

Addition of small proportions (such as 0.1 gm. per liter) of a stabilizer such as sodium stannate trihydrate, to the solution was found to contribute to the inhibiting action of the peroxide against corrosion of the steel samples. This effect may have been due, at least in part, to the protective action of the increased pH caused by the addition of stannate.

In all of the aluminum test samples in which hydrogen peroxide and the stabilizer were present, a white precipitate was observed to form after a variable period of time; but not unless both peroxide and stabilizer were employed, leading to the conclusion that hydrolysis of the stannate was involved in the precipitation process.




FIG. 1 DECOMPOSITION RATE vs CONCENTRATION OF H₂O₂ 50°C




FIG. 2 DECOMPOSITION RATE vs. H₂O₂ CONCENTRATION
IN PRESENCE OF DIFFERENT STABILIZERS

DISTRIBUTION LIST
CONTRACT Nonr 1841(11)
STABILITY AND REACTION STUDIES
OF HYDROGEN PEROXIDE
Massachusetts Institute of Technology
Cambridge, Massachusetts

Address	Transmitted Via	Number of Copies	Address	Transmitted Via	Number of Copies
Committee on Guided Missiles Office of the Secretary of Defense (R&D) Room 3D-125, The Pentagon Washington 25, D. C.		1	Technical Library Atomic Energy Commission 1901 Constitution Avenue Washington 25, D. C. Attn: Mr. B. M. Fry		1
Chief of Staff, U. S. Air Force The Pentagon Washington 25, D. C. Attn: DCS/D, AFOPD-AC-2 DCS/D, AFOP-00		1	Commandant of the Marine Corps Headquarters U. S. Marine Corps Washington 25, D. C. Attn: G-4 (Ordnance)		1
Commanding General Air Materiel Command Wright-Patterson Air Force Base Dayton, Ohio Attn: MCRMP WLPB-4		2	Commander Operational Development Force U. S. Naval Base Norfolk 11, Virginia		1
Chief, Bureau of Aeronautics Department of the Navy Washington 25, D. C. Attn: RD-A SI-532		1	Office, Assistant Chief of Staff (G-4) Research and Development Division Department of the Army The Pentagon Washington 25, D. C.		1
Chief, Bureau of Ordnance Department of the Navy Washington 25, D. C. Attn: Heds Hed Hed2		1	Convair Scientific Research Laboratory 5001 Keaney Villa Road San Diego 11, California Attn: Mr. A. L. Berlad		1 (unclass. only)
Chief, Bureau of Ships Department of the Navy Washington 25, D. C. Attn: Code 502 Code 530 Code 533 Code 519		1	Commanding Officer U. S. Naval Underwater-Ordnance Station Newport, Rhode Island		2
U. S. Naval Air Rocket Test Station Lake Denmark Dover, New Jersey Attn: Dr. T. Rhinehardt		1	Naval Inspector of Ordnance Electric Boat Company Groton, Connecticut		1
Commander Naval Air Materiel Center Philadelphia 12, Pennsylvania		1	United States Naval Academy Head of Department of Electrical Engineering Annapolis, Maryland		1
Commander U. S. Naval Air Missile Test Center Point Mugu, California		1	Director Office of Naval Research Branch Office 495 Summer Street Boston 14, Massachusetts		2
Commander U. S. Naval Ordnance Test Station Inyokern, California P. O. Chino Lake California Attn: Reports Unit Code 4012		1	Director Office of Naval Research Branch Office 346 Broadway New York 13, New York		1
Director National Advisory Committee for Aeronautics 1724 F Street, N. W. Washington 25, D. C. Attn: Mr. C. H. Helms		2	Director Office of Naval Research Branch Office 1000 Geary Street San Francisco, 9, California		1
Director, U. S. Naval Research Laboratory Office of Naval Research, Anacostia Washington 25, D. C. Attn: Code 3280 Code 2000 (if classified only 1)		1	Director Office of Naval Research Branch Office 1030 Grove Street Pasadena, California		1
Chief of Naval Research Department of the Navy Washington 25, D. C. Attn: Code 426 (if classified 13)		3	Director Office of Naval Research Branch Office Tenth Floor The John Crerar Library Building 86 East Randolph Street Chicago 1, Illinois		1
Commanding Officer Frankford Arsenal Philadelphia 37, Pennsylvania Attn: Fire Control Division		1	Officer-in-Charge Office of Naval Research Navy Bldg. 100 Fleet Post Office New York, New York		2
Superintendent U. S. Naval Postgraduate School Monterey, California Attn: Librarian		1	Commanding General Air Research & Development Command P. O. Box 1395 Baltimore 3, Maryland Attn: HDRRC		1
Commander Air Force Office of Scientific Research Air Research and Development Command Washington 25, D. C. Attn: SRDC		1 (Unclass. only)	Dr. Martin Kilpatrick Department of Chemistry Illinois Institute of Technology 3300 Federal Street Chicago 16, Illinois	If classified via: Director Office of Naval Research Branch Office Tenth Floor The John Crerar Library Bldg. 86 East Randolph St. Chicago 1, Illinois	1
Commander Naval Ordnance Laboratory, White Oak Silver Spring 19, Maryland Attn: The Library, Room 1 333		1	State Engineering Experimental Station Georgia Institute of Technology Atlanta, Georgia	Bureau of Ships Code 620 Department of the Navy Washington 25, D. C.	1
Commanding General AAA and OB Center Fort Bliss, Texas		1	Applied Physics Laboratory Johns Hopkins University Silver Spring, Maryland Attn: Dr. Dwight E. Gray	Naval Inspector of Ordnance Applied Physics Lab Johns Hopkins University 8621 Georgia Avenue Silver Spring, Maryland	1
Chief of Naval Operations Department of the Navy Washington 25, D. C. Attn: Op-51		1	Reil Aircraft Corporation Niagara Falls, New York Attn: Mr. R. B. Foster	U. S. Air Force Plant Representative Niagara Falls, New York	1
U. S. Army Chemical Warfare Laboratories Army Chemical Center Maryland		1	Consolidated-Vultee Aircraft Corp. San Diego 12, California Attn: Mr. J. V. Naish	Bureau of Aeronautics Representative Consolidated-Vultee Aircraft Corp. San Diego 12, California	1
Commanding Officer USS Norton Sound (AVM-1) c/o Fleet Post Office San Francisco, California		1	Douglas Aircraft 3000 Ocean Blvd. Santa Monica, California Attn: Mr. E. P. Burton	District Chief Los Angeles Ordnance District 35 No. Raymond Ave. Pasadena 1, California	1
Commanding General White Sands Proving Ground Las Cruces, New Mexico		1	Rand Corporation 1500 Fourth Street Santa Monica, California Attn: Mr. P. H. Gilbohm	Chief, Los Angeles APFO 155 West Washington Blvd. Los Angeles 54, California	1

Address	If Classified Transmitted Via	Number of Copies	Address	If Classified Transmitted Via	Number of Copies
Food-Machinery & Chemical Corp. Room 539 Wyatt Building 777 Fourteenth St., N. W. Washington 25, D. C. Attn: Ralph Bloom, Jr.		1 (Uncl. only)	Commanding General Redstone Arsenal Huntsville, Alabama Attn: Technical Library		1
The Martin Company Mail J 398 Baltimore 3, Maryland Attn: Library & Documents Section	Bureau of Aeronautics Rep. Glen L. Martin Company Baltimore 3, Maryland	1	Hayden Library N.I.T. Room 143-226 Attn: Miss Bartlett Special Collections Librarian		2 (Uncl. only)
California Institute of Technology Jet Propulsion Laboratory Pasadena, California	District Chief Los Angeles Ordnance District 35 No. Raymond Ave. Pasadena 1, California	1	American Machinery & Foundry Co. Turbo Engineering Department 12270 Montague Street Pico, California Attn: Dr. A.S. Ash		1
Rocketdyne 6633 Canoga Ave. Canoga Park, California	Bureau of Aeronautics, Rep. North American Aviation Los Angeles 45, California	1	Columbia-Southern Chemical Corporation P. O. Box 4026 Corpus Christi, Texas Attn: Mr. H. W. Rahn		1
Princeton University Princeton, New Jersey Attn: Project EQUID	Commanding Officer Office of Naval Research Branch Office 346 Broadway New York 13, New York	1	Mr. D. H. Ross, Director Product Development Department Allied Chemical Corporation 61 Broadway New York 6, New York		1
University of Michigan Aeronautical Research Center Willow Run Airport Ypsilanti, Michigan Attn: Mr. L. R. Russell	Commanding Officer Central Air Procurement Division West Warren & Lonyo Avenues Detroit 32, Michigan	1	Dr. Jui H. Wang Department of Chemistry Yale University New Haven, Connecticut		1
Aerojet-General Corporation Azusa, California Attn: Dr. D. L. Armstrong	Bureau of Aeronautics, Rep. Aerojet-General Corp. Azusa, California	1	Professor John O. Edwards Department of Chemistry Brown University Providence, Rhode Island		1
Liquid Propellant Information Agency Applied Physics Laboratory Johns Hopkins University Silver Spring, Maryland Attn: Mr. K. O. Britton	Naval Inspector of Ordnance Applied Physics Laboratory Johns Hopkins University 8621 Georgia Ave. Silver Spring, Maryland	2	Commander New York Naval Shipyard Naval Base Brooklyn 1, New York Attn: Technical Library, Code 245B		1
Experiment Incorporated Richmond, Virginia Attn: Dr. J. W. Mullin, II	Assistant Inspector of Naval Material 533 Middlefield Rd. Redwood City, California	1	Shell Development Company Emeryville, California		1
Advanced Technology Laboratories P. O. Box 1057 Mountain View, California Attn: Librarian		1	Laporte Chemicals Ltd. P. O. Box No. 8 Luton, Bedfordshire England Attn: Librarian		1 (Uncl. only)
Fairchild Engine and Airplane Corp. Fairchild Engine Division Farmingdale, Long Island, New York Attn: Mr. E. M. Lester	Bureau of Aeronautics, Rep. Fairchild Engine & Airplane Farmingdale, Long Island New York	1	Commanding Officer Diamond Ordnance Fuze Laboratories Washington 25, D. C. Attn: Technical Reference Section ORDTL 06.33		1
Purdue University Lafayette, Indiana Attn: Dr. M. J. Zurew	Office of Naval Research, Branch Office The John Crerar Library Bldg. 10th Floor, 86 E. Randolph St. Chicago 1, Illinois	1	Special Projects Branch Food Machinery and Chemical Corporation Station 40 Buffalo 13, New York Attn: N. S. Davis		1
Reaction Motors, Inc. Stickle Ave. & Elm St. Hackensack, New Jersey	Bureau of Aeronautics, Rep. Reaction Motors, Inc. Stickle Ave. & Elm St. Hackensack, New Jersey	1	Stauffer Chemical Company 380 Madison Ave. Chaucery, New York	Inspector of Naval Material 250 Hudson St. New York 13, New York	1
Electrochemical Department Technical Division E. I. duPont de Nemours & Co., Inc. Ninewa Falls, New York Attn: Dr. P. S. Pinkney	Inspector of Naval Material Room 505-508 Post Office Bldg. Buffalo 3, New York	1	Shell Chemical Corporation 380 Madison Avenue New York 17, New York Attn: N. L. Giannakos		1
Shell Chemical Corporation P. O. Box No. 2633 Houston 1, Texas Attn: H. L. Mayoock, Research Director		1	Ethyl Corporation Research & Development Department P. O. Box 341 Baton Rouge 1, Louisiana Attn: W. E. Foster, Supervisor Chemical Research & Development		1 (Uncl. only)
Walter Kilde and Co., Inc. Bellefonte, New Jersey Attn: Project MX-922 Contract AF(33-036)3897	Inspector of Naval Material Naval Industrial Reserve Shipyard Bldg. 13, Port Newark Newark 3, New Jersey	1	New York University College of Engineering University Heights New York 53, New York Attn: Professor Winternitz		1
Redel Incorporated 401 East Juliana Street Anaheim, California	Inspector of Naval Material 1206 South St. Los Angeles 15, California	1	Professor G. E. Ryschewitsch Department of Chemistry University of Florida Gainesville, Florida		1
Commander Armed Services Technical Information Agency Attn: TTPDR Arlington Hall Station Arlington 12, Virginia		10 (Uncl. only)	Sundstrand Turbo Division Sundstrand Machine Tool Company 2880 West 70th Avenue Denver 21, Colorado Attn: Librarian		1
Office of Technical Services Department of Commerce Washington 25, D. C.		1 (Uncl. only)			
Thompson Products, Incorporated Steel Research and Development 2196 Clarkwood Cleveland 3, Ohio Attn: A. O. Krasne	Bureau of Aeronautics Thompson Products, Inc. Cleveland 3, Ohio	1			